

On the dual topological quantum numbers filling factors

Wellington da Cruz
 Departamento de Física,
 Universidade Estadual de Londrina, Caixa Postal 6001,
 Cep 86051-970 Londrina, PR, Brazil
 E-mail address: wdacruz@exatas.uel.br
 (February 2, 2008)

Abstract

We consider recent experimental results [W. Pan *et al*, Phys. Rev. Lett. **90**, 016801 (2003)] for occurrence of the fractional quantum Hall effect-FQHE under the perspective of our formulation in terms of *fractons*. These objects carry rational or irrational values of spin and satisfy a *fractal distribution function* associated with a *fractal von Neumann entropy*. According to our approach the *FQHE occurs in pairs of dual topological quantum numbers fillings factors* and this geometrical character comes from the *connection between the fractal parameter or Hausdorff dimension h and the spin s of the particles*. We suggest to the experimentalists consider our ideas and verify in fact that this phenomenon of FQHE satisfies a *symmetry principle* discovered by us, i.e, *the duality symmetry between universal classes of fractons*.

PACS numbers: 71.10.Pm, 05.30.-d, 73.43.Cd

Keywords: Fractal distribution function; Fractal von Neumann entropy; Fractons; Fractional quantum Hall effect.

We have introduced in the literature [1–6] the concept of universal classes h of particles or quasiparticles, termed *fractons*, which satisfy a *fractal distribution function* associated with a *fractal von Neumann entropy*. These objects are charge-flux systems which carry rational or irrational values of spin. They are defined in two-dimensional multiply connected space and are classified in terms of the fractal parameter or Hausdorff dimension h , defined in the interval $1 < h < 2$. The fractal properties of the quantum paths are characterized by h and can be extracted from the propagators of the particles in the momentum space [1,7]. Considering the *fractal spectrum*

$$h - 1 = 1 - \nu, \quad 0 < \nu < 1; \quad h - 1 = \nu - 1, \quad 1 < \nu < 2; \text{ etc.} \quad (1)$$

and the *spin-statistics relation* $\nu = 2s$, valid for such fractons, we can collect them in universal classes. *The fractal spectrum establishes a connection between h and the spin s of the particles: $h = 2 - 2s$, $0 \leq s \leq \frac{1}{2}$.* Thus, there exists a *mirror symmetry* behind this notion of fractal spectrum. For a review see [8].

In a recent paper W. Pan *et al.* [9] present experimental results for occurrence of FQHE for some values of filling factors, $\nu = \frac{4}{11}, \frac{5}{13}, \frac{7}{11}, \frac{4}{13}, \frac{6}{17}, \frac{5}{17}$. Thus, in this Letter we make some comments about these values under the perspective of our approach to the FQHE in terms of fractons. According to our formulation the *FQHE occurs in pairs of dual topological quantum numbers filling factors*. These ones are numerically equal to statistical parameter ν . So, *the topological character of these quantum numbers filling factors comes from the connection with the Hausdorff dimension h* .

We have found that the filling factors related to the quantization of the Hall resistance in systems of the condensed matter under extreme conditions of temperature and magnetic field [10] can be classified in terms of the Hausdorff dimension associated with the quantum paths [1]. This is so, because *there exists a symmetry principle, i.e., the duality symmetry between universal classes of fractons, defined by $\tilde{h} = 3 - h$* . As a consequence, we extract a *fractal supersymmetry* which defines pairs of particles $(s, s + \frac{1}{2})$.

This way, we discovered that the quantum Hall transitions satisfy some properties related with the Farey sequences of rational numbers and the transitions allowed are those generated by the condition $|p_2q_1 - p_1q_2| = 1$, with $\nu_1 = \frac{p_1}{q_1}$ and $\nu_2 = \frac{p_2}{q_2}$.

For example, we have the *possible transitions* between the classes

$$\left\{ \frac{1}{3}, \frac{5}{3}, \frac{7}{3}, \dots \right\}_{h=\frac{5}{3}} \rightarrow \left\{ \frac{2}{5}, \frac{8}{5}, \frac{12}{5}, \dots \right\}_{h=\frac{8}{5}} \rightarrow \left\{ \frac{3}{7}, \frac{11}{7}, \frac{17}{7}, \dots \right\}_{h=\frac{11}{7}} \rightarrow$$

$$\left\{ \frac{4}{9}, \frac{14}{9}, \frac{22}{9}, \dots \right\}_{h=\frac{14}{9}} \rightarrow \left\{ \frac{5}{11}, \frac{17}{11}, \frac{27}{11}, \dots \right\}_{h=\frac{17}{11}} \rightarrow \left\{ \frac{6}{13}, \frac{20}{13}, \frac{32}{13}, \dots \right\}_{h=\frac{20}{13}} \text{ etc.}$$

and for their respective duals

$$\left\{ \frac{2}{3}, \frac{4}{3}, \frac{8}{3}, \dots \right\}_{h=\frac{4}{3}} \rightarrow \left\{ \frac{3}{5}, \frac{7}{5}, \frac{13}{5}, \dots \right\}_{h=\frac{7}{5}} \rightarrow \left\{ \frac{4}{7}, \frac{10}{7}, \frac{18}{7}, \dots \right\}_{h=\frac{10}{7}} \rightarrow$$

$$\left\{ \frac{5}{9}, \frac{13}{9}, \frac{23}{9}, \dots \right\}_{h=\frac{13}{9}} \rightarrow \left\{ \frac{6}{11}, \frac{16}{11}, \frac{28}{11}, \dots \right\}_{h=\frac{16}{11}} \rightarrow \left\{ \frac{7}{13}, \frac{19}{13}, \frac{33}{13}, \dots \right\}_{h=\frac{19}{13}} \text{ etc.}$$

Thus, we obtain *the universality classes of the quantum Hall transitions*. Now, follows some examples of these pairs of *dual topological quantum numbers* just observed

$$\begin{aligned}
(\nu, \tilde{\nu}) = & \left(\frac{1}{3}, \frac{2}{3}\right), \left(\frac{5}{3}, \frac{4}{3}\right), \left(\frac{1}{5}, \frac{4}{5}\right), \left(\frac{2}{7}, \frac{5}{7}\right), \left(\frac{2}{9}, \frac{7}{9}\right), \left(\frac{2}{5}, \frac{3}{5}\right), \left(\frac{7}{3}, \frac{8}{3}\right), \\
& \left(\frac{3}{7}, \frac{4}{7}\right), \left(\frac{4}{9}, \frac{5}{9}\right), \left(\frac{8}{5}, \frac{7}{5}\right), \left(\frac{6}{13}, \frac{7}{13}\right), \left(\frac{5}{11}, \frac{6}{11}\right), \left(\frac{10}{7}, \frac{11}{7}\right), \\
& \left(\frac{4}{11}, \frac{7}{11}\right), \left(\frac{13}{4}, \frac{15}{4}\right), \left(\frac{14}{5}, \frac{11}{5}\right), \left(\frac{9}{4}, \frac{11}{4}\right), \left(\frac{19}{7}, \frac{16}{7}\right) \text{ etc.}
\end{aligned} \tag{2}$$

We claim that **all the experimental results satisfy this symmetry principle**. In this way, *our formulation can predicting FQHE, that is, consider the duality symmetry discovered by us [1]*. We also observe that *our approach, in terms of equivalence classes for the filling factors, embodies the structure of the modular group* as discussed in the literature [1,11].

In this note we suggest to the experimentalists [9] consider our ideas and verify in fact that the FQHE occurs for the duals $\left(\frac{5}{13}, \frac{8}{13}\right), \left(\frac{4}{13}, \frac{9}{13}\right), \left(\frac{6}{17}, \frac{11}{17}\right), \left(\frac{5}{17}, \frac{12}{17}\right)$. They have found in [9], the dual pair $\left(\frac{4}{11}, \frac{7}{11}\right)$, which confirms again our symmetry principle.

According to the rules discussed above for the quantum Hall transitions, the results of the Ref. [9] can be written in the form:

$$\begin{aligned}
& \frac{5}{7} \rightarrow \frac{12}{17} \rightarrow \frac{7}{10} \rightarrow \frac{9}{13} \rightarrow \frac{2}{3} \rightarrow \frac{11}{17} \rightarrow \frac{9}{14} \rightarrow \frac{7}{11} \rightarrow \frac{5}{8} \rightarrow \frac{8}{13} \rightarrow \frac{3}{5} \rightarrow \\
& \frac{4}{7} \rightarrow \frac{5}{9} \rightarrow \frac{6}{11} \rightarrow \frac{7}{13} \rightarrow \frac{8}{15} \rightarrow \frac{9}{17} \rightarrow \frac{10}{19} \rightarrow \frac{11}{21} \rightarrow \frac{1}{2} \rightarrow \frac{10}{21} \rightarrow \frac{9}{19} \rightarrow \\
& \frac{8}{17} \rightarrow \frac{7}{15} \rightarrow \frac{6}{13} \rightarrow \frac{5}{11} \rightarrow \frac{4}{9} \rightarrow \frac{3}{7} \rightarrow \frac{2}{5} \rightarrow \frac{5}{13} \rightarrow \frac{3}{8} \rightarrow \frac{4}{11} \rightarrow \frac{5}{14} \rightarrow \\
& \frac{6}{17} \rightarrow \frac{1}{3} \rightarrow \frac{4}{13} \rightarrow \frac{3}{10} \rightarrow \frac{5}{17} \rightarrow \frac{2}{7}.
\end{aligned} \tag{3}$$

As we can see, other sequences follow from this one, just take into account the rules. Now, considering the fractal spectrum and the duality symmetry between the classes, we can determine the universality classes associated to this sequence Eq.(3):

$$\begin{aligned}
& \left\{ \frac{5}{7}, \frac{9}{7}, \frac{19}{7}, \dots \right\}_{h=\frac{9}{7}} \rightarrow \left\{ \frac{12}{17}, \frac{22}{17}, \frac{46}{17}, \dots \right\}_{h=\frac{22}{17}} \rightarrow \left\{ \frac{7}{10}, \frac{13}{10}, \frac{27}{10}, \dots \right\}_{h=\frac{13}{10}} \rightarrow \\
& \left\{ \frac{9}{13}, \frac{17}{13}, \frac{35}{13}, \dots \right\}_{h=\frac{17}{13}} \rightarrow \left\{ \frac{2}{3}, \frac{4}{3}, \frac{8}{3}, \dots \right\}_{h=\frac{4}{3}} \rightarrow \left\{ \frac{11}{17}, \frac{23}{17}, \frac{45}{17}, \dots \right\}_{h=\frac{23}{17}} \rightarrow \\
& \left\{ \frac{9}{14}, \frac{19}{14}, \frac{37}{14}, \dots \right\}_{h=\frac{19}{14}} \rightarrow \left\{ \frac{7}{11}, \frac{15}{11}, \frac{29}{11}, \dots \right\}_{h=\frac{15}{11}} \rightarrow \left\{ \frac{5}{8}, \frac{11}{8}, \frac{21}{8}, \dots \right\}_{h=\frac{11}{8}} \rightarrow \\
& \left\{ \frac{8}{13}, \frac{18}{13}, \frac{34}{13}, \dots \right\}_{h=\frac{18}{13}} \rightarrow \left\{ \frac{3}{5}, \frac{7}{5}, \frac{13}{5}, \dots \right\}_{h=\frac{7}{5}} \rightarrow \left\{ \frac{4}{7}, \frac{10}{7}, \frac{18}{7}, \dots \right\}_{h=\frac{10}{7}} \rightarrow \\
& \left\{ \frac{5}{9}, \frac{13}{9}, \frac{23}{9}, \dots \right\}_{h=\frac{13}{9}} \rightarrow \left\{ \frac{6}{11}, \frac{16}{11}, \frac{28}{11}, \dots \right\}_{h=\frac{16}{11}} \rightarrow \left\{ \frac{7}{13}, \frac{19}{13}, \frac{33}{13}, \dots \right\}_{h=\frac{19}{13}} \rightarrow \\
& \left\{ \frac{8}{15}, \frac{22}{15}, \frac{38}{15}, \dots \right\}_{h=\frac{22}{15}} \rightarrow \left\{ \frac{9}{17}, \frac{25}{17}, \frac{43}{17}, \dots \right\}_{h=\frac{25}{17}} \rightarrow \left\{ \frac{10}{19}, \frac{28}{19}, \frac{48}{19}, \dots \right\}_{h=\frac{28}{19}} \rightarrow \\
& \left\{ \frac{11}{21}, \frac{31}{21}, \frac{53}{21}, \dots \right\}_{h=\frac{31}{21}} \rightarrow \left\{ \frac{1}{2}, \frac{3}{2}, \frac{5}{2}, \dots \right\}_{h=\frac{3}{2}} \rightarrow \left\{ \frac{10}{21}, \frac{32}{21}, \frac{52}{21}, \dots \right\}_{h=\frac{32}{21}} \rightarrow
\end{aligned} \tag{4}$$

$$\begin{aligned}
& \left\{ \frac{9}{19}, \frac{29}{19}, \frac{47}{19}, \dots \right\}_{h=\frac{29}{19}} \rightarrow \left\{ \frac{8}{17}, \frac{26}{17}, \frac{42}{17}, \dots \right\}_{h=\frac{26}{17}} \rightarrow \left\{ \frac{7}{15}, \frac{23}{15}, \frac{37}{15}, \dots \right\}_{h=\frac{23}{15}} \rightarrow \\
& \left\{ \frac{6}{13}, \frac{20}{13}, \frac{32}{13}, \dots \right\}_{h=\frac{20}{13}} \rightarrow \left\{ \frac{5}{11}, \frac{17}{11}, \frac{27}{11}, \dots \right\}_{h=\frac{17}{11}} \rightarrow \left\{ \frac{4}{9}, \frac{14}{9}, \frac{22}{9}, \dots \right\}_{h=\frac{14}{9}} \rightarrow \\
& \left\{ \frac{3}{7}, \frac{11}{7}, \frac{17}{7}, \dots \right\}_{h=\frac{11}{7}} \rightarrow \left\{ \frac{2}{5}, \frac{8}{5}, \frac{12}{5}, \dots \right\}_{h=\frac{8}{5}} \rightarrow \left\{ \frac{5}{13}, \frac{21}{13}, \frac{31}{13}, \dots \right\}_{h=\frac{21}{13}} \rightarrow \\
& \left\{ \frac{3}{8}, \frac{13}{8}, \frac{19}{8}, \dots \right\}_{h=\frac{13}{8}} \rightarrow \left\{ \frac{4}{11}, \frac{18}{11}, \frac{26}{11}, \dots \right\}_{h=\frac{18}{11}} \rightarrow \left\{ \frac{5}{14}, \frac{23}{14}, \frac{33}{14}, \dots \right\}_{h=\frac{23}{14}} \rightarrow \\
& \left\{ \frac{6}{17}, \frac{28}{17}, \frac{40}{17}, \dots \right\}_{h=\frac{28}{17}} \rightarrow \left\{ \frac{1}{3}, \frac{5}{3}, \frac{7}{3}, \dots \right\}_{h=\frac{5}{3}} \rightarrow \left\{ \frac{4}{13}, \frac{22}{13}, \frac{30}{13}, \dots \right\}_{h=\frac{22}{13}} \rightarrow \\
& \left\{ \frac{3}{10}, \frac{17}{10}, \frac{23}{10}, \dots \right\}_{h=\frac{17}{10}} \rightarrow \left\{ \frac{5}{17}, \frac{29}{17}, \frac{39}{17}, \dots \right\}_{h=\frac{29}{17}} \rightarrow \left\{ \frac{2}{7}, \frac{12}{7}, \frac{16}{7}, \dots \right\}_{h=\frac{12}{7}}.
\end{aligned}$$

We observe that the duals of $\nu = \frac{5}{13}, \frac{6}{17}, \frac{4}{13}, \frac{5}{17}$, i.e, $\tilde{\nu} = \frac{8}{13}, \frac{11}{17}, \frac{9}{13}, \frac{12}{17}$, appear in the sequence obtained by our approach and for these values of filling factors we can verify the occurrence of FQHE.

Finally, as we can check, the formulation advocates by us, contrary other one [12], offers *a rationale* for all observed filling factors. Again, we emphasize that *ours objects are spinning particles* and we believe that *this characteristic is crucial for understand the Hall states associated with fractons*. On the other hand, in our formulation, the filling factors are classified in classes labeled by the Hausdorff dimension associated with the spin of the particles. *The quantum Hall transitions satisfy some rules supported by symmetry principles, such as duality symmetry between the universal classes of fractons and the transitions allowed are those that satisfy a mathematical structure which comes from the modular group* [1,11].

Once more, the FQHE occurs in pairs of dual topological quantum numbers filling factors and our approach can predicting such phenomena: just consider any value observed, *take into account the duality symmetry and the fractal spectrum*, and we receive the respective dual. All the experimental results obey these rules, i.e, *symmetry principles which support the theoretical basis of our formulation. The sequences observed for occurrence of FQHE appear naturally from first principles*, i.e, our approach does not has an empirical character. *It has a fundamental meaning posed by the connection between a geometrical parameter h associated with the quantum paths and the spin s of the particles*. Then, this constitutes **the great difference** between our insight and the others of the literature. On the other hand, we do not have a Hamiltonian for the FQHE, however *we have symmetries associated with it and this can gives us some hints to solve this task*. Hence, this sounds for us a convenient strategy. Also, in any case, the system of particles which we are considering to characterize the FQHE satisfies a fractal distribution function associated with a fractal Von Neumann entropy and this way the physical scenario takes place (see [8] for crucial details). Besides this, all our theoretical description is supported by symmetry principles as we emphasized a lot along of our argumentation. The result of our formulation is very clear, we have established a fractal-like structure for the FQHE in terms of concepts of the fractal geometry as we discussed in [17] and so, some comments in [18] about the fractal approach to the FQHE was anticipated by us in the just way [1–6,8].

As a final example, consider the results of the Refs. [9,13–16] together, so we can write the sequence:

$$\begin{array}{cccccccccccccc}
\frac{15}{4} \rightarrow \frac{11}{3} \rightarrow \frac{7}{2} \rightarrow \frac{10}{3} \rightarrow \frac{13}{4} \rightarrow \frac{\mathbf{3}}{\mathbf{1}} \rightarrow \frac{14}{5} \rightarrow \frac{11}{4} \rightarrow \frac{19}{7} \rightarrow \frac{8}{3} \rightarrow \frac{13}{5} \rightarrow \frac{18}{7} \rightarrow \\
\frac{23}{9} \rightarrow \frac{28}{11} \rightarrow \frac{33}{13} \rightarrow \frac{5}{2} \rightarrow \frac{32}{13} \rightarrow \frac{27}{11} \rightarrow \frac{22}{9} \rightarrow \frac{17}{7} \rightarrow \frac{12}{5} \rightarrow \frac{7}{3} \rightarrow \frac{16}{7} \rightarrow \frac{9}{4} \rightarrow \\
\frac{11}{5} \rightarrow \frac{\mathbf{2}}{\mathbf{1}} \rightarrow \frac{15}{8} \rightarrow \frac{28}{15} \rightarrow \frac{13}{7} \rightarrow \frac{11}{6} \rightarrow \frac{9}{5} \rightarrow \frac{16}{9} \rightarrow \frac{7}{4} \rightarrow \frac{19}{11} \rightarrow \frac{12}{7} \rightarrow \frac{17}{10} \rightarrow \\
\frac{5}{3} \rightarrow \frac{8}{5} \rightarrow \frac{11}{7} \rightarrow \frac{14}{9} \rightarrow \frac{17}{11} \rightarrow \frac{20}{13} \rightarrow \frac{3}{2} \rightarrow \frac{19}{13} \rightarrow \frac{16}{11} \rightarrow \frac{13}{9} \rightarrow \frac{10}{7} \rightarrow \frac{7}{5} \rightarrow \\
\frac{4}{3} \rightarrow \frac{13}{10} \rightarrow \frac{9}{7} \rightarrow \frac{14}{11} \rightarrow \frac{5}{4} \rightarrow \frac{11}{9} \rightarrow \frac{6}{5} \rightarrow \frac{7}{6} \rightarrow \frac{8}{7} \rightarrow \frac{17}{15} \rightarrow \frac{26}{23} \rightarrow \frac{9}{8} \rightarrow \\
\frac{\mathbf{1}}{\mathbf{1}} \rightarrow \frac{8}{9} \rightarrow \frac{15}{17} \rightarrow \frac{7}{8} \rightarrow \frac{13}{15} \rightarrow \frac{6}{7} \rightarrow \frac{11}{13} \rightarrow \frac{16}{19} \rightarrow \frac{5}{6} \rightarrow \frac{19}{23} \rightarrow \frac{14}{17} \rightarrow \frac{9}{11} \rightarrow \\
\frac{4}{5} \rightarrow \frac{7}{9} \rightarrow \frac{10}{13} \rightarrow \frac{13}{17} \rightarrow \frac{16}{21} \rightarrow \frac{19}{25} \rightarrow \frac{3}{4} \rightarrow \frac{14}{19} \rightarrow \frac{11}{15} \rightarrow \frac{8}{11} \rightarrow \frac{5}{7} \rightarrow \frac{12}{17} \rightarrow \\
\frac{7}{10} \rightarrow \frac{9}{13} \rightarrow \frac{2}{3} \rightarrow \frac{11}{17} \rightarrow \frac{9}{14} \rightarrow \frac{7}{11} \rightarrow \frac{5}{8} \rightarrow \frac{8}{13} \rightarrow \frac{3}{5} \rightarrow \frac{4}{7} \rightarrow \frac{5}{9} \rightarrow \frac{6}{11} \rightarrow \\
\frac{13}{7} \rightarrow \frac{15}{8} \rightarrow \frac{17}{9} \rightarrow \frac{19}{10} \rightarrow \frac{21}{11} \rightarrow \frac{2}{1} \rightarrow \frac{21}{10} \rightarrow \frac{19}{9} \rightarrow \frac{17}{8} \rightarrow \frac{15}{7} \rightarrow \frac{13}{6} \rightarrow \frac{11}{5} \rightarrow \\
\frac{4}{9} \rightarrow \frac{3}{7} \rightarrow \frac{2}{5} \rightarrow \frac{5}{13} \rightarrow \frac{3}{8} \rightarrow \frac{4}{11} \rightarrow \frac{5}{14} \rightarrow \frac{6}{17} \rightarrow \frac{1}{3} \rightarrow \frac{4}{13} \rightarrow \frac{3}{10} \rightarrow \frac{5}{17} \rightarrow \\
\frac{2}{7} \rightarrow \frac{3}{11} \rightarrow \frac{4}{15} \rightarrow \frac{5}{19} \rightarrow \frac{6}{23} \rightarrow \frac{1}{4} \rightarrow \frac{6}{25} \rightarrow \frac{5}{21} \rightarrow \frac{4}{17} \rightarrow \frac{3}{13} \rightarrow \frac{2}{9} \rightarrow \frac{1}{5} \rightarrow \\
\frac{2}{11} \rightarrow \frac{3}{17} \rightarrow \frac{4}{23} \rightarrow \frac{1}{6} \rightarrow \frac{3}{19} \rightarrow \frac{2}{13} \rightarrow \frac{1}{7} \rightarrow \frac{2}{15} \rightarrow \frac{1}{8} \rightarrow \frac{2}{17} \rightarrow \frac{1}{9}.
\end{array} \tag{5}$$

Thus, we identify dual pairs of filling factors observed (see Eq.(2)) and other ones to be verified, as $(\nu, \tilde{\nu}) = (\frac{2}{11}, \frac{9}{11}), (\frac{3}{19}, \frac{16}{19}), (\frac{3}{17}, \frac{14}{17}), (\frac{2}{13}, \frac{11}{13}), (\frac{1}{7}, \frac{6}{7}), (\frac{2}{15}, \frac{13}{15}), (\frac{2}{17}, \frac{15}{17}), (\frac{1}{9}, \frac{8}{9})$ etc.

Another interesting point about our discussion is that for the sequence Eq.(5) we verify distinct possible transitions for the fractional quantum Hall effect, we have family or group of universality classes, for example, consider the **Group IV**:

$$\begin{aligned}
& \left\{ \frac{8}{9}, \frac{10}{9}, \frac{26}{9}, \frac{28}{9}, \dots \right\}_{h=\frac{10}{9}} \rightarrow \left\{ \frac{15}{17}, \frac{19}{17}, \frac{49}{17}, \frac{53}{17}, \dots \right\}_{h=\frac{19}{17}} \rightarrow \left\{ \frac{7}{8}, \frac{9}{8}, \frac{23}{8}, \frac{25}{8}, \dots \right\}_{h=\frac{9}{8}} \rightarrow \\
& \left\{ \frac{13}{15}, \frac{17}{15}, \frac{43}{15}, \frac{47}{15}, \dots \right\}_{h=\frac{17}{15}} \rightarrow \left\{ \frac{6}{7}, \frac{8}{7}, \frac{20}{7}, \frac{22}{7}, \dots \right\}_{h=\frac{8}{7}} \rightarrow \left\{ \frac{11}{13}, \frac{15}{13}, \frac{37}{13}, \frac{41}{13}, \dots \right\}_{h=\frac{15}{13}} \rightarrow \\
& \left\{ \frac{16}{19}, \frac{22}{19}, \frac{54}{19}, \frac{60}{19}, \dots \right\}_{h=\frac{22}{19}} \rightarrow \left\{ \frac{5}{6}, \frac{7}{6}, \frac{17}{6}, \frac{19}{6}, \dots \right\}_{h=\frac{7}{6}} \rightarrow \left\{ \frac{19}{23}, \frac{27}{23}, \frac{65}{23}, \frac{73}{23}, \dots \right\}_{h=\frac{27}{23}} \rightarrow \\
& \left\{ \frac{14}{17}, \frac{20}{17}, \frac{48}{17}, \frac{54}{17}, \dots \right\}_{h=\frac{20}{17}} \rightarrow \left\{ \frac{9}{11}, \frac{13}{11}, \frac{31}{11}, \frac{35}{11}, \dots \right\}_{h=\frac{13}{11}} \rightarrow \left\{ \frac{4}{5}, \frac{6}{5}, \frac{14}{5}, \frac{16}{5}, \dots \right\}_{h=\frac{6}{5}} \rightarrow \\
& \left\{ \frac{7}{9}, \frac{11}{9}, \frac{25}{9}, \frac{29}{9}, \dots \right\}_{h=\frac{11}{9}} \rightarrow \left\{ \frac{10}{13}, \frac{16}{13}, \frac{36}{13}, \frac{42}{13}, \dots \right\}_{h=\frac{16}{13}} \rightarrow \left\{ \frac{13}{17}, \frac{21}{17}, \frac{47}{17}, \frac{55}{17}, \dots \right\}_{h=\frac{21}{17}} \rightarrow \\
& \left\{ \frac{16}{21}, \frac{26}{21}, \frac{58}{21}, \frac{68}{21}, \dots \right\}_{h=\frac{26}{21}} \rightarrow \left\{ \frac{19}{25}, \frac{31}{25}, \frac{69}{25}, \frac{81}{25}, \dots \right\}_{h=\frac{31}{25}} \rightarrow \left\{ \frac{3}{4}, \frac{5}{4}, \frac{11}{4}, \frac{13}{4}, \dots \right\}_{h=\frac{5}{4}} \rightarrow \\
& \left\{ \frac{14}{19}, \frac{24}{19}, \frac{52}{19}, \frac{62}{19}, \dots \right\}_{h=\frac{24}{19}} \rightarrow \left\{ \frac{11}{15}, \frac{19}{15}, \frac{41}{15}, \frac{49}{15}, \dots \right\}_{h=\frac{19}{15}} \rightarrow \left\{ \frac{8}{11}, \frac{14}{11}, \frac{30}{11}, \frac{36}{11}, \dots \right\}_{h=\frac{14}{11}} \rightarrow \\
& \left\{ \frac{5}{7}, \frac{9}{7}, \frac{19}{7}, \frac{23}{7}, \dots \right\}_{h=\frac{9}{7}} \rightarrow \left\{ \frac{12}{17}, \frac{22}{17}, \frac{46}{17}, \frac{56}{17}, \dots \right\}_{h=\frac{22}{17}} \rightarrow \left\{ \frac{7}{10}, \frac{13}{10}, \frac{27}{10}, \frac{33}{10}, \dots \right\}_{h=\frac{13}{10}} \rightarrow \\
& \left\{ \frac{9}{13}, \frac{17}{13}, \frac{35}{13}, \frac{43}{13}, \dots \right\}_{h=\frac{17}{13}} \rightarrow \left\{ \frac{2}{3}, \frac{4}{3}, \frac{8}{3}, \frac{10}{3}, \dots \right\}_{h=\frac{4}{3}} \rightarrow \left\{ \frac{11}{17}, \frac{23}{17}, \frac{45}{17}, \frac{57}{17}, \dots \right\}_{h=\frac{23}{17}} \rightarrow \\
& \left\{ \frac{9}{14}, \frac{19}{14}, \frac{37}{14}, \frac{47}{14}, \dots \right\}_{h=\frac{19}{14}} \rightarrow \left\{ \frac{7}{11}, \frac{15}{11}, \frac{29}{11}, \frac{37}{11}, \dots \right\}_{h=\frac{15}{11}} \rightarrow \left\{ \frac{5}{8}, \frac{11}{8}, \frac{21}{8}, \frac{27}{8}, \dots \right\}_{h=\frac{11}{8}} \rightarrow \\
& \left\{ \frac{8}{13}, \frac{18}{13}, \frac{34}{13}, \frac{44}{13}, \dots \right\}_{h=\frac{18}{13}} \rightarrow \left\{ \frac{3}{5}, \frac{7}{5}, \frac{13}{5}, \frac{17}{5}, \dots \right\}_{h=\frac{7}{5}} \rightarrow \left\{ \frac{4}{7}, \frac{10}{7}, \frac{18}{7}, \frac{24}{7}, \dots \right\}_{h=\frac{10}{7}} \rightarrow \\
& \left\{ \frac{5}{9}, \frac{13}{9}, \frac{23}{9}, \frac{31}{9}, \dots \right\}_{h=\frac{13}{9}} \rightarrow \left\{ \frac{6}{11}, \frac{16}{11}, \frac{28}{11}, \frac{38}{11}, \dots \right\}_{h=\frac{16}{11}} \rightarrow \left\{ \frac{7}{13}, \frac{19}{13}, \frac{33}{13}, \frac{45}{13}, \dots \right\}_{h=\frac{19}{13}} \rightarrow \\
& \left\{ \frac{8}{15}, \frac{22}{15}, \frac{38}{15}, \frac{52}{15}, \dots \right\}_{h=\frac{22}{15}} \rightarrow \left\{ \frac{9}{17}, \frac{25}{17}, \frac{43}{17}, \frac{59}{17}, \dots \right\}_{h=\frac{25}{17}} \rightarrow \left\{ \frac{10}{19}, \frac{28}{19}, \frac{48}{19}, \frac{66}{19}, \dots \right\}_{h=\frac{28}{19}} \rightarrow (6) \\
& \left\{ \frac{11}{21}, \frac{31}{21}, \frac{53}{21}, \frac{73}{21}, \dots \right\}_{h=\frac{31}{21}} \rightarrow \left\{ \frac{1}{2}, \frac{3}{2}, \frac{5}{2}, \frac{7}{2}, \dots \right\}_{h=\frac{3}{2}} \rightarrow \left\{ \frac{10}{21}, \frac{32}{21}, \frac{52}{21}, \frac{74}{21}, \dots \right\}_{h=\frac{32}{21}} \rightarrow \\
& \left\{ \frac{9}{19}, \frac{29}{19}, \frac{47}{19}, \frac{67}{19}, \dots \right\}_{h=\frac{29}{19}} \rightarrow \left\{ \frac{8}{17}, \frac{26}{17}, \frac{42}{17}, \frac{60}{17}, \dots \right\}_{h=\frac{26}{17}} \rightarrow \left\{ \frac{7}{15}, \frac{23}{15}, \frac{37}{15}, \frac{53}{15}, \dots \right\}_{h=\frac{23}{15}} \rightarrow \\
& \left\{ \frac{6}{13}, \frac{20}{13}, \frac{32}{13}, \frac{46}{13}, \dots \right\}_{h=\frac{20}{13}} \rightarrow \left\{ \frac{5}{11}, \frac{17}{11}, \frac{27}{11}, \frac{39}{11}, \dots \right\}_{h=\frac{17}{11}} \rightarrow \left\{ \frac{4}{9}, \frac{14}{9}, \frac{22}{9}, \frac{32}{9}, \dots \right\}_{h=\frac{14}{9}} \rightarrow \\
& \left\{ \frac{3}{7}, \frac{11}{7}, \frac{17}{7}, \frac{25}{7}, \dots \right\}_{h=\frac{11}{7}} \rightarrow \left\{ \frac{2}{5}, \frac{8}{5}, \frac{12}{5}, \frac{18}{5}, \dots \right\}_{h=\frac{8}{5}} \rightarrow \left\{ \frac{5}{13}, \frac{21}{13}, \frac{31}{13}, \frac{47}{13}, \dots \right\}_{h=\frac{21}{13}} \rightarrow \\
& \left\{ \frac{3}{8}, \frac{13}{8}, \frac{19}{8}, \frac{29}{8}, \dots \right\}_{h=\frac{13}{8}} \rightarrow \left\{ \frac{4}{11}, \frac{18}{11}, \frac{26}{11}, \frac{40}{11}, \dots \right\}_{h=\frac{18}{11}} \rightarrow \left\{ \frac{5}{14}, \frac{23}{14}, \frac{33}{14}, \frac{51}{14}, \dots \right\}_{h=\frac{23}{14}} \rightarrow \\
& \left\{ \frac{6}{17}, \frac{28}{17}, \frac{40}{17}, \frac{62}{17}, \dots \right\}_{h=\frac{28}{17}} \rightarrow \left\{ \frac{1}{3}, \frac{5}{3}, \frac{7}{3}, \frac{11}{3}, \dots \right\}_{h=\frac{5}{3}} \rightarrow \left\{ \frac{4}{13}, \frac{22}{13}, \frac{30}{13}, \frac{48}{13}, \dots \right\}_{h=\frac{22}{13}} \rightarrow \\
& \left\{ \frac{3}{10}, \frac{17}{10}, \frac{23}{10}, \frac{37}{10}, \dots \right\}_{h=\frac{17}{10}} \rightarrow \left\{ \frac{5}{17}, \frac{29}{17}, \frac{39}{17}, \frac{63}{17}, \dots \right\}_{h=\frac{29}{17}} \rightarrow \left\{ \frac{2}{7}, \frac{12}{7}, \frac{16}{7}, \frac{26}{7}, \dots \right\}_{h=\frac{12}{7}} \rightarrow
\end{aligned}$$

$$\begin{aligned}
& \left\{ \frac{3}{11}, \frac{19}{11}, \frac{25}{11}, \frac{41}{11}, \dots \right\}_{h=\frac{19}{11}} \rightarrow \left\{ \frac{4}{15}, \frac{26}{15}, \frac{34}{15}, \frac{56}{15}, \dots \right\}_{h=\frac{26}{15}} \rightarrow \left\{ \frac{5}{19}, \frac{33}{19}, \frac{43}{19}, \frac{71}{19}, \dots \right\}_{h=\frac{33}{19}} \rightarrow \\
& \left\{ \frac{6}{23}, \frac{40}{23}, \frac{52}{23}, \frac{86}{23}, \dots \right\}_{h=\frac{40}{23}} \rightarrow \left\{ \frac{1}{4}, \frac{7}{4}, \frac{9}{4}, \frac{15}{4}, \dots \right\}_{h=\frac{7}{4}} \rightarrow \left\{ \frac{6}{25}, \frac{44}{25}, \frac{56}{25}, \frac{94}{25}, \dots \right\}_{h=\frac{44}{25}} \rightarrow \\
& \left\{ \frac{5}{21}, \frac{37}{21}, \frac{47}{21}, \frac{79}{21}, \dots \right\}_{h=\frac{37}{21}} \rightarrow \left\{ \frac{4}{17}, \frac{30}{17}, \frac{38}{17}, \frac{64}{17}, \dots \right\}_{h=\frac{30}{17}} \rightarrow \left\{ \frac{3}{13}, \frac{23}{13}, \frac{29}{13}, \frac{49}{13}, \dots \right\}_{h=\frac{23}{13}} \rightarrow \\
& \left\{ \frac{2}{9}, \frac{16}{9}, \frac{20}{9}, \frac{34}{9}, \dots \right\}_{h=\frac{16}{9}} \rightarrow \left\{ \frac{1}{5}, \frac{9}{5}, \frac{11}{5}, \frac{19}{5}, \dots \right\}_{h=\frac{9}{5}} \rightarrow \left\{ \frac{2}{11}, \frac{20}{11}, \frac{24}{11}, \frac{42}{11}, \dots \right\}_{h=\frac{20}{11}} \rightarrow \\
& \left\{ \frac{3}{17}, \frac{31}{17}, \frac{37}{17}, \frac{65}{17}, \dots \right\}_{h=\frac{31}{17}} \rightarrow \left\{ \frac{4}{23}, \frac{42}{23}, \frac{50}{23}, \frac{88}{23}, \dots \right\}_{h=\frac{42}{23}} \rightarrow \left\{ \frac{1}{6}, \frac{11}{6}, \frac{13}{6}, \frac{23}{6}, \dots \right\}_{h=\frac{11}{6}} \rightarrow \\
& \left\{ \frac{3}{19}, \frac{35}{19}, \frac{41}{19}, \frac{73}{19}, \dots \right\}_{h=\frac{35}{19}} \rightarrow \left\{ \frac{2}{13}, \frac{24}{13}, \frac{28}{13}, \frac{50}{13}, \dots \right\}_{h=\frac{24}{13}} \rightarrow \left\{ \frac{1}{7}, \frac{13}{7}, \frac{15}{7}, \frac{27}{7}, \dots \right\}_{h=\frac{13}{7}} \rightarrow \\
& \left\{ \frac{2}{15}, \frac{28}{15}, \frac{32}{15}, \frac{58}{15}, \dots \right\}_{h=\frac{28}{15}} \rightarrow \left\{ \frac{1}{8}, \frac{15}{8}, \frac{17}{8}, \frac{31}{8}, \dots \right\}_{h=\frac{15}{8}} \rightarrow \left\{ \frac{2}{17}, \frac{32}{17}, \frac{36}{17}, \frac{66}{17}, \dots \right\}_{h=\frac{32}{17}} \rightarrow \\
& \left\{ \frac{1}{9}, \frac{17}{9}, \frac{19}{9}, \frac{35}{9}, \dots \right\}_{h=\frac{17}{9}}.
\end{aligned}$$

REFERENCES

- [1] W. da Cruz, Int. J. Mod. Phys. **A15** (2000), 3805.
- [2] W. da Cruz, Physica **A313** (2002), 446.
- [3] W. da Cruz and R. de Oliveira, Mod. Phys. Lett. **A15** (2000), 1931.
- [4] W. da Cruz, J. Phys: Cond. Matter. **12** (2000), L673.
- [5] W. da Cruz, Mod. Phys. Lett. **A14** (1999), 1933.
- [6] W. da Cruz, Chaos, Solitons and Fractals **17** (2003), 975.
- [7] A. M. Polyakov, in *Proc. Les Houches Summer School* **vol. II**, Eds. E. Brézin and J. Zinn-Justin (North Holland, 1990) 305.
- [8] W. da Cruz, Int. J. Mod. Phys. **A18** (2003), 2213. *Proceedings 2nd International Londrina Winter School: Mathematical Methods in Physics, August, 26-30, 2002*, Eds. M. C. B. Abdalla *et al.*
- [9] W. Pan *et al.*, Phys. Rev. Lett. **90** (2003), 016801.
- [10] R. B. Laughlin, Rev. Mod. Phys. **71** (1999), 863;
H. Stormer, Rev. Mod. Phys. **71** (1999), 875;
D. C. Tsui, Rev. Mod. Phys. **71** (1999), 891;
and references therein.
- [11] B. P. Dolan, J. Phys. **A32** (1999), L243; Nucl. Phys. **B554** (1999), 487;
C. P. Burgess and C. A. Lütken, Nucl. Phys. **B500** (1997), 367;
and references therein.
- [12] J. K. Jain, Phys. Rev. Lett. **63** (1989), 199; Phys. Rev. **B40**, 8079 (1989);
Phys. Rev. **B41** (1990), 7653.
- [13] W. Pan *et al.*, Phys. Rev. Lett. **88** (2002), 176802-1.
- [14] R. R. Du *et al.*, Phys. Rev. Lett. **75** (1995), 3926.
- [15] R. R. Du *et al.*, Phys. Rev. Lett. **70** (1993), 2944.
- [16] R. Willett *et al.*, Phys. Rev. Lett. **59** (1987), 1776.
- [17] W. da Cruz, cond-mat/0304398.
- [18] J. H. Smet, Nature **422** (2003), 391. See also:
R. G. Mani and K. von Klitzing, Z. Phys. **B100** (1996), 635.